
0260 0260

RAW SEQUENCE LISTING ERROR REPORT



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/028,396
Source: 0/ft
Date Processed by STIC: 1/15/2002

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom, including:

- 1. EFS-Bio (http://www.uspto.gov/ebc/efs/downloads/documents.htm, EFS Submission User Manual ePAVE)
- 2. U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
- 3. Hand Carry directly to:

 U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examine

U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202

U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

The number test at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjout your right margin to 3; this will prevent "wrapping." Invalid Line Length The rumber test at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjout your right margin to 3; this will prevent "wrapping." Invalid Line Length The rules require that a line not exceed 72 characters in length. This includes white spaces. The numbering under each 5" amon acid is misaligned. Do not use tab codes between numbers; use space characters, instead. The submitted file was not saved in ASCII test. Sequences (1) Variable Length The submitted file was not saved in ASCII test. Sequences (2) Variable Length The submitted file was not saved in ASCII test. Sequences (2) Normally, Patenting would be readed. Please present the maximum number of each residue having wantable length and indicate in the ~2200~2233 section to be missing from amino acid sequences (2) Normally, Patentin would automatically generate this section from the previously coded nucleic acid sequence. This applies to the mandatory <2700~2733 section to the subsequent amino acid sequence. This applies to the mandatory <2700~2735 section to the subsequent amino acid sequence. This previous previo	ERROR-DETECTED	SUGGESTED CORRECTION—SERIAL NUMBER: 10/028-396	
The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to 3; this will prevent wrapping. Invalid Line Length Misaligned Amino Numbering Misaligned Amino Numbering The numbering under each 3" amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead. The submitted file was not saved in ASCII (CDS) text, as required by the Sequence Rules, each nor Xaa can only represent a single residue. Please ensure your subsequent submission is saved in ASCII (etct. Sequence(s) — and in saved in ASCII (etct.) Sequence(s) — and indicate in the <2000-<2230- section that some may be missing. The submitted file was not saved in decide in the <2000-<2230- section to the missing from amino acid sequence. This applies to the mandatory <2200-<2230- section to the insign from amino acid sequence. Please manually copy the relevant <2200-<2230- section to the subsequent amino acid sequence. Please manually copy the relevant <2200-<2230- section to the insign from amino acid sequence. Please manually copy the relevant <2200-<2230- section to the subsequent amino acid sequence. This applies to the mandatory <2200-<2230- sections for Artificial or Unknown sequences: (OLD RULES) Sequence(s) — missing. If intentional, please insert the following lines for each skipped sequence: (2) INFORMATION FOR SEQ ID NOX: (insert SEQ ID NO where "X" is shown) SEQUENCE DESCRIPTIONSEQ ID NOX: (insert SEQ ID NO where "X" is shown) This sequence is intentionally skipped Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to Include the skipped sequence. **Sequence(s) — missing. If intentional, please insert the following lines for each skipped sequence. **Sequence(s) — missing. If intentional, please insert the following lines for each skipped sequence. **Sequence(s) — missing. If intentional, please insert the following lines for each skipped sequence. **NEW RULES)			
was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping." 2	ATTN: NEW RULES CASES		
Misaligned Amino Numbering under each 5° amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead. Mon-ASCII		was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will	
Numbering Use space characters, instead.	2Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.	
ensure your subsequent submission is saved in ASCII text. Sequence(s) 2 - Contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220-<223> section to be missing from amino acid sequences (sequences(s) Normally, Patentin would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220><223> section to the subsequent amino acid sequence. Please manually copy the relevant <220><223> section to the subsequent amino acid sequence. Please manually copy the relevant <220><223> section to the subsequent amino acid sequence. This applies to the mandatory <220><223> section for Artificial or Unknown sequences. 7 Skipped Sequences (OLD RULES) 8 Sequence(s)			
each nor Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing. A "bug" in Patentin version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences ()	4Non-ASCII		
"bug" sequences(s) Normally, Patentin would automatically generate this section from the previously coded nucleic acid sequence. This applies to the mandatory <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> section for Artificial or Unknown sequences (OLD RULES) (O	5Variable Length	each n or Xaa can only represent a single residue. Please present the maximum number of each	
(OLD RULES) (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading) (x) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) This sequence is intentionally skipped Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences. Sequence(s) missing. If Intentional, please insert the following lines for each skipped sequence. 210> sequence id number 400> sequence id number 400> sequence id number 400> sequence Rules, use of <220> <223> is MANDATORY if n's or Xaa's represent. In <220> to <223> section, please explain location of nor Xaa, and which residue nor Xaa represents. Per 1.823 of Sequence Rules, use of <220> <223> section is required when <213> response is Unknown, Artificial Sequence, or scientific name (Genus/species). <220> <223> section is required when <213> response is Unknown or is Artificial Sequence. 11 Use of <220> Sequence(s) missing the <220> "Feature" and associated numeri dentifiers and responses. Use of <220> Sequence(s) missing the <220> "Feature" and associated numeri and responses. Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section. (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules) Please do not use "Copy to Disk" function of Patentln version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.		sequences(s) Normally, Patentin would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for	
Skipped Sequences (NEW RULES) Missing		(2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading) (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)	
Vise of n's or Xaa's Use of n's and/or Xaa's have been detected in the Sequence Listing.		Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences.	
Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present. In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents. Invalid <213>		<210> sequence id number <400> sequence id number	
Response scientific name (Genus/species). <220>-<223> section is required when <213> response is Unknown or is Artificial Sequence Sequence(s) missing the <220> "Feature" and associated numeric identifiers and responses. Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section. (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules) Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk. Misuse of n n can only be used to represent a single nucleotide in a nucleic acid sequence. N is not used to represent any value not specifically a nucleotide.		Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present.	
Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section. (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules) 12 PatentIn 2.0 "bug" Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk. 13 Misuse of n n can only be used to represent a single nucleotide in a nucleic acid sequence. N is not used to represent any value not specifically a nucleotide.		scientific name (Genus/species). <220>-<223> section is required when <213> response is Unknown or	
"bug" resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk. 13Misuse of n	11Use of <220>	Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section.	
any value not specifically a nucleotide.		resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence	
AMC/MH - Biotechnology Systems Branch - 08/21/2001	13Misuse of n		
•		AMC/MH - Biotechnology Systems Branch - 08/21/2001	

DATE: 01/15/2002 M

TIME: 15:23:18

OIPE

```
Does Not Comply
                                                                                                                                                               Corrected Diskette Needed
                                            Input Set : A:\V042.app
                                            Output Set: N:\CRF3\01152002\J028396.raw
         3 <110> APPLICANT: VLAAMS INTERUNIVERSITAIR INSTITUUT VOOR BIOTECHNOL
         5 <120> TITLE OF INVENTION: NUCLEIC ACID BINDING OF MULTI-ZINC FINGER TRANSCRIPTION
                           FACTORS
         8 <130> FILE REFERENCE: JAR/SIP/V042
      10 (140) CURRENT APPLICATION NUMBER: US/10/028,396
      11 <141> CURRENT FILING DATE: 2001-12-21
       13 <150> PRIOR APPLICATION NUMBER: 99202068.5
       14 <151> PRIOR FILING DATE: 1999-06-25
      16 <160> NUMBER OF SEQ ID NOS: 50
       18 <170> SOFTWARE: PatentIn Ver. 2.1
       20 <210> SEO ID NO: 1
       21 <211> LENGTH: 11
       22 <212> TYPE: DNA
      22 <212-
23 <213> ORGANISM: AILLE
25 <220> FEATURE:
26 <223> OTHER INFORMATION: Description of Artificial Sequence of Sequence
-> 35 cacctineacc t
       39 <211> LENGTH: 11
       40 <212> TYPE: DNA
      41 <213> ORGANISM: Artificial Sequence
      43 <220> FEATURE:
      44 <223> OTHER INFORMATION: Description of Artificial Sequence: part of bait
      45
                            for screening
      47 <220> FEATURE:
      48 <221> NAME/KEY: misc_feature
      49 <222> LOCATION: (6)
       50 <223> OTHER INFORMATION: n is a spacer sequence of at least 8 base pairs
       52 <400> SEQUENCE: 2
                                                                                                                                                                             11
  > 53 cacctnaggt g
       56 <210> SEQ ID NO: 3
      57 <211> LENGTH: 11
       58 <212> TYPE: DNA
      59 <213> ORGANISM: Artificial Sequence
      61 <220> FEATURE:
      62 <223> OTHER INFORMATION: Description of Artificial Sequence: part of bait
                           for screening
      65 <220> FEATURE:
      66 <221> NAME/KEY: misc_feature
      67 < 222 > LOCATION: (6)
      68 <223> OTHER INFORMATION: n is a spacer sequence of at least 8 base pairs
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/028,396

Input Set : A:\V042.app

DATE: 01/15/2002

PATENT APPLICATION: US/10/028,396

TIME: 15:23:18

Output Set: N:\CRF3\01152002\J028396.raw same eval 70 <400> SEQUENCE: 3 11 W--> 71 aggtgncacc t 74 <210> SEQ ID NO: 4 75 <211> LENGTH: 11 76 <212> TYPE: DNA 77 <213> ORGANISM: Artificial Sequence 79 <220> FEATURE: 80 <223> OTHER INFORMATION: Description of Artificial Sequence: part of bait 81 for screening 83 <220> FEATURE: 84 <221> NAME/KEY: misc_feature same 85 <222> LOCATION: (6) 86 <223> OTHER INFORMATION: n is a spacer sequence of at least 8 base pairs 88 <400> SEQUENCE: 4 11 W--> 89 aggtgnaggt g 92 <210> SEQ ID NO: 5 93 <211> LENGTH: 12 94 <212> TYPE: DNA 95 <213> ORGANISM: Artificial Sequence 97 <220> FEATURE: 98 <223> OTHER INFORMATION: Description of Artificial Sequence: bipartite 99 element 101 <220> FEATURE: 102 <221> NAME/KEY: misc_feature same 103 <222> LOCATION: (6) 104 <223> OTHER INFORMATION: n is a spacer sequence of at least 8 base pairs 106 <400> SEQUENCE: 5 12 W--> 107 cacctncacc tg 110 <210> SEQ ID NO: 6 111 <211> LENGTH: 25 112 <212> TYPE: DNA 113 <213> ORGANISM: Artificial Sequence 115 <220> FEATURE: 116 <223> OTHER INFORMATION: Description of Artificial Sequence: complex 117 consensus sequence 119 <220> FEATURE: same 120 <221> NAME/KEY: misc_feature 121 <222> LOCATION: (16) 122 <223> OTHER INFORMATION: n is a spacer sequence of at the most 28 base 123 pairs 125 <400> SEQUENCE: 6 25 w--> 126 gacaagataa gataantta tette 129 <210> SEQ ID NO: 130 <211> LENGTH: 30 131 <212> TYPE: DNA 132 <213> ORGANISM: Artificial Sequence 134_<220>_FEATURE:_ 135 <223> OTHER INFORMATION: Description of Artificial Sequence: primer SIP1

NZF3Mut

136

DATE: 01/15/2002 TIME: 15:23:18

PATENT APPLICATION: US/10/028,396

Input_Set_:_A:\V042.app-

Output Set: N:\CRF3\01152002\J028396.raw

- 138 <400> SEQUENCE: 7
- 139 ccacctgaaa gaatccctga gaattcacag

30

- 142 <210> SEQ ID NO: 8
- 143 <211> LENGTH: 30
- 144 <212> TYPE: DNA
- 145 <213> ORGANISM: Artificial Sequence
- 147 <220> FEATURE:
- 148 <223> OTHER INFORMATION: Description of Artificial Sequence: primer SIP1
- 149 NZF4Mut
- 151 <400> SEQUENCE: 8
- 152 gggtcctaca gttcatctat cagcagcaag

30

- 155 <210> SEQ ID NO: 9
- 156 <211> LENGTH: 30
- 157 <212> TYPE: DNA
- 158 <213> ORGANISM: Artificial Sequence
- 160 <220> FEATURE:
- 161 <223> OTHER INFORMATION: Description of Artificial Sequence: primer SIP1
- 162 CZF2Mut
- 164 <400> SEQUENCE: 9
- 165 caccacctta tcgagtcctc gaggctgcac

30

- 168 <210> SEQ ID NO: 10
- 169 <211> LENGTH: 30
- 170 <212> TYPE: DNA
- 171 <213> ORGANISM: Artificial Sequence
- 173 <220> FEATURE:
- 174 <223> OTHER INFORMATION: Description of Artificial Sequence: primer SIP1
- 175 CZF3Mut
- 177 <400> SEQUENCE: 10
- 178 tectaetege agtecatgaa teacaggtae

30

- 181 <210> SEQ ID NO: 11
- 182 <211> LENGTH: 50
- 183 <212> TYPE: DNA
- 184 <213> ORGANISM: Artificial Sequence
- 186 <220> FEATURE:
- 187 <223> OTHER INFORMATION: Description of Artificial Sequence: probe Xbra-WT
- 189 <400> SEQUENCE: 11
- 190 atccaggcca cctaaaatat agaatgataa agtgaccagg tgtcagttct 50
- 193 <210> SEQ ID NO: 12
- 194 <211> LENGTH: 50
- 195 <212> TYPE: DNA
- 196 <213> ORGANISM: Artificial Sequence
- 198 <220> FEATURE:.
- 199 <223> OTHER INFORMATION: Description of Artificial Sequence: probe Xbra-D
- 201 <400> SEQUENCE: 12
- 202 atccaggeca cctaaaatat aqaatgataa agtgaccaga tgtcagttct

50

- 205 <210> SEQ ID NO: 13
- 206 <211> LENGTH: 23
- 207 <212> TYPE: DNA
- 208 <213> ORGANISM: Artificial Sequence

DATE: 01/15/2002 TIME: 15:23:18 PATENT APPLICATION: US/10/028,396

Input-Set :- A:\V042.app-

Output Set: N:\CRF3\01152002\J028396.raw

210 <220> FEATURE: 211 <223> OTHER INFORMATION: Description of Artificial Sequence: probe Xbra-E 213 <400> SEQUENCE: 13 23 214 taaaqtqacc aggtqtcagt tct 217 <210> SEQ ID NO: 14 218 <211> LENGTH: 27 219 <212> TYPE: DNA 220 <213> ORGANISM: Artificial Sequence 222 <220> FEATURE: 223 <223> OTHER INFORMATION: Description of Artificial Sequence: probe Xbra-F 225 <400> SEQUENCE: 14 226 atccaggcca cctaaaatat agaatga 27 229 <210> SEQ ID NO: 15 230 <211> LENGTH: 50 231 <212> TYPE: DNA 232 <213> ORGANISM: Artificial Sequence 234 <220> FEATURE: 235 <223> OTHER INFORMATION: Description of Artificial Sequence: Rdm + Xbra-E 237 <400> SEQUENCE: 15 238 caatttagag tactgtgtac ttgggagtaa agtgaccagg tgtcagttct 50 241 <210> SEQ ID NO: 16 242 <211> LENGTH: 53 243 <212> TYPE: DNA 244 <213> ORGANISM: Artificial Sequence 246 <220> FEATURE: 247 <223> OTHER INFORMATION: Description of Artificial Sequence: probe Xbra-F + AREB6 250 <400> SEQUENCE: 16 251 atccaggcca cctaaaatat agaatgaggc tcagacaggt gtagaattcg gcg 53 254 <210> SEQ ID NO: 17 255 <211> LENGTH: 53 256 <212> TYPE: DNA 257 <213> ORGANISM: Artificial Sequence 259 <220> FEATURE: 260 <223> OTHER INFORMATION: Description of Artificial Sequence: probe Rdm + 261 AREB6 263 <400> SEQUENCE: 17 264 caatttagag tactgtgtac ttgggagggc tcagacaggt gtagaattcg gcg 53 267 <210> SEQ ID NO: 18 268 <211> LENGTH: 50 269 <212> TYPE: DNA 270 <213> ORGANISM: Artificial Sequence 272 <220> FEATURE: 273 <223> OTHER INFORMATION: Description of Artificial Sequence: probe Xbra-J 275 <400> SEQUENCE: 18 276 gcacaggcca cctaaaatat agaatgataa agtgaccagg tgtcagttct 50 279 <210> SEQ ID NO: 19 280 <211> LENGTH: 50 281 <212> TYPE: DNA

PATENT APPLICATION: US/10/028,396

DATE: 01/15/2002 TIME: 15:23:18

Input Set : A:\V042.app_

Output Set: N:\CRF3\01152002\J028396.raw

- 282 <213> ORGANISM: Artificial Sequence
- 284 <220> FEATURE:
- 285 <223> OTHER INFORMATION: Description of Artificial Sequence: probe Xbra-K
- 287 <400> SEQUENCE: 19
- 288 atcactgcca cctaaaatat agaatgataa agtgaccagg tgtcagttct 50
- 291 <210> SEO ID NO: 20
- 292 <211> LENGTH: 50
- 293 <212> TYPE: DNA
- 294 <213> ORGANISM: Artificial Sequence
- 296 <220> FEATURE:
- 297 <223> OTHER INFORMATION: Description of Artificial Sequence: probe Xbra-L
- 299 <400> SEQUENCE: 20
- 300 atccagtaaa cctaaaatat agaatgataa agtgaccagg tgtcagttct 50
- 303 <210> SEQ ID NO: 21
- 304 <211> LENGTH: 50
- 305 <212> TYPE: DNA
- 306 <213> ORGANISM: Artificial Sequence
- 308 <220> FEATURE:
- 309 <223> OTHER INFORMATION: Description of Artificial Sequence: probe Xbra-M
- 311 <400> SEQUENCE: 21
- 312 atccaggccc aataaaatat agaatgataa agtgaccagg tgtcagttct 50
- 315 <210> SEQ ID NO: 22
- 316 <211> LENGTH: 50
- 317 <212> TYPE: DNA
- 318 <213> ORGANISM: Artificial Sequence
- 320 <220> FEATURE:
- 321 <223> OTHER INFORMATION: Description of Artificial Sequence: probe Xbra-N
- 323 <400> SEQUENCE: 22
- 324 atccaggcca ccgccaatat agaatgataa agtgaccagg tgtcagttct 50
- 327 <210> SEQ ID NO: 23
- 328 <211> LENGTH: 50
- 329 <212> TYPE: DNA
- 330 <213> ORGANISM: Artificial Sequence
- 332 <220> FEATURE:
- 333 <223> OTHER INFORMATION: Description of Artificial Sequence: probe Xbra-O
- 335 <400> SEQUENCE: 23
- 336 atccaggcca cctaaccgat agaatgataa agtgaccagg tgtcagttct 50
- 339 <210> SEQ ID NO: 24
- 340 <211> LENGTH: 50
- 341 <212> TYPE: DNA
- 342 <213> ORGANISM: Artificial Sequence
- 344 <220> FEATURE:
- 345 <223> OTHER INFORMATION: Description of Artificial Sequence: probe Xbra-P
- 347 <400> SEQUENCE: 24
- 348 atccaggcca cctaaaatcg cgaatgataa agtgaccagg tgtcagttct
- 50

- 351 <210> SEQ ID NO: 25 352 <211> LENGTH: 50
- 353 <212> TYPE: DNA
- 354 <213> ORGANISM: Artificial Sequence

<210> 49 <211> 27 <212> DNA <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: degenerated primer

<400> 49

cttccagcag ccctacgayc argonica

sel dem 9 on Evan Summany Steet
same even in Sequence 50

Use of n and/or Xaa has been detected in the Sequence Listing: Review the Sequence Listing to insure a corresponding explanation is presented in the <220> to <223> fields of each sequence using n or Xaa.

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/028,396

DATE: 01/15/2002 TIME: 15:23:19

Input Set : A:\V042.app

Output Set: N:\CRF3\01152002\J028396.raw

```
L:10 M:270 C: Current Application Number differs, Replaced Current Application Number
L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:35 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:53 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:71 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3
L:89 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4
L:107 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5
L:126 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
L:659 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:49
L:659 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49
L:672 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:50
L:672 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:50
L:672 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:50
L:672 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:50
```